CLAIMS

1. A method for producing a cyclic organic silicon compound represented by the general formula (3) below, characterized in that an olefin represented by the general formula (1) below and an alkoxysilane represented by the general formula (2) below are reacted in the presence of a catalyst comprising a transition metal.

$$Z \xrightarrow{\mathsf{OH}} \mathsf{Me}$$
 (1)

(In the formula, Z is alkenyl group having carbon atoms from 2 to 5 where the terminal carbon atom C_E distant from the carbon atom to which the hydroxyl group is bonded forms a carbon-carbon unsaturated bond, R is methyl group or hydrogen atom, and Me is methyl group.)

$$R_1$$
— Si — OR_2 (2)

(In the formula, R_1 is alkyl group or alkoxyl group, having carbon atoms from 1 to 3, R_2 is alkyl group having carbon atoms from 1 to 3, and the plurality of R_2 may be the same as or different from each other.)

$$R_1$$
 S_i O C_2 C_3 C_4 C_5 C_6 C_6 C_7 C_8 C_8

(In the formula, Z' is alkylene group having carbon atoms from 2 to 5, wherein said carbon-carbon unsaturated bond in said Z transformed into

- a saturated bond and said terminal carbon atom C_E in said Z binds to Si atom; R is methyl group or hydrogen atom; R_1 is alkyl group or alkoxyl group, having carbon atoms from 1 to 3; and R_2 is alkyl group having carbon atoms from 1 to 3.)
- 2. An organic silicon resin having an alcoholic hydroxyl group, which is obtained by performing hydrolysis and condensation of said cyclic organic silicon compound represented by the general formula (3) above, or of a mixture of said cyclic organic silicon compound and a polyfunctional alkoxysilane.
- 3. A method for producing an organic silicon resin having an alcoholic hydroxyl group, characterized in performing hydrolysis and condensation of a cyclic organic silicon compound represented by the general formula (3) according to Claim 1, or of a mixture of said cyclic organic silicon compound and a polyfunctional alkoxysilane in an organic solvent while maintaining a concentration of a producing polymer at 30% by weight or less.